

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	167	725/51.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 08:48
S1	126	(hotspot\$1 hot adj spot\$1) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:42
S2	4	(hotspot\$1 hot adj spot\$1) and xsl and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:21
S3	19	(enhanc\$5) and xsl and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:09
S4	68	(hotspot\$1 hot adj spot\$1) and language and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:36
S5	1129	url and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:36
S6	27830	url and video "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:36
S7	1061	url and video and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:36

S8	6359	url and video and interactive and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:36
S9	645	url and video and interactive and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:36
S10	567	url and link\$3 and video and interactive and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:39
S11	561	url and link\$3 and Internet and video and interactive and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:39
S12	126	(hotspot\$1 hot adj spot\$1) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 07:45
S13	26	S12 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 07:45
S14	20	("5065345" "5109482" "5204947" "5319455" "5393073" "5422674" "5442390" "5453779" "5461415" "5524195" "5528513" "5539871" "5596705" "5684715" "5822123" "5838906" "5969715" "6020885" "6233734" "6295055").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 08:40
S15	64	725/112.ccls. and xml	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 08:52
S16	3382	sgml	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 08:53

S17	64	sgml and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 08:56
S18	52	hotspot\$1 and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 08:55
S19	11657	translat\$3 and hotspot\$1 "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 08:56
S20	11	translat\$3 and hotspot\$1 and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 09:02
S21	17	xsl and pars\$3 and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 09:03
S22	26	xsl and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 09:03
S23	2173	xsl	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 09:03
S24	731	xsl and (translat\$3 pars\$3) and video	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 09:23
S25	950	(xsl Extensible adj Style adj Language) and video	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 09:45
S26	344	(hot adj spot\$1 hotspot\$1) and xml	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:22
S27	1959	xsl and language	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:23
S28	1493	xsl same language	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:23
S29	132	xsl same language and set adj top	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:44
S30	27767	xsl set adj top	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:44
S31	16	xsl same set adj top	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:44
S32	189	xsl and set adj top	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:53

S33	573	xml same urls	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:54
S34	91	xml same urls and personaliz\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:55
S35	1725	xml same (urls URL ADJ link\$3 web adj page\$ webpage\$1) and (personaliz\$3 customiz\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:55
S36	31	xml same (urls URL ADJ link\$3 web adj page\$ webpage\$1) and (personaliz\$3 customiz\$4) and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 10:58
S37	27	xml same (links) and (personaliz\$3 customiz\$4) and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 11:02
S38	40	xml and (different another) with (urls links) and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 11:45
S39	33	headend same encod\$3 same ip	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 11:58
S40	16	headend same encod\$3 with ip	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:02
S41	2173	xsl	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:02
S42	1130	xslt	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:02
S43	110	xslt and set adj top	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:06
S44	3655	PCT/CA01/00146 "20010131"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:08
S45	0	"887789".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:08
S46	1	"6867789".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:08
S47	1	"6867789".pn. and set adj top and xsl	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:10
S48	1	"6826597".pn. and set adj top and xsl	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:12

S49	8	language adj attribute and "725". clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:57
S50	85	language same attribute and "725". clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:58
S51	40	language same attribute and xml and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 12:58
S52	10	language with attribute same xsl	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:02
S53	4354	xml same attribute\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:03
S54	0	xml same attribute\$1 same langauge	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:03
S55	289	xml same attribute\$1 same url	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:03
S56	36	xml same attribute\$1 same url and set adj top	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:09
S57	24	xml same attribute\$1 same links and set adj top	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:12
S58	594	location and enhancement\$1 and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:12
S59	22962	location and enhancement\$1 and links "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:12
S60	264	location and enhancement\$1 and links and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:34
S61	691	hot adj link\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:34
S62	16	hot adj link\$1 and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:47
S63	532	xml with links	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:52
S64	26973	hot adj spot\$1 hotspot\$1 and attribute\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:53

S65	3184	(hot adj spot\$1 hotspot\$1) and attribute\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:53
S66	42	(hot adj spot\$1 hotspot\$1) and attribute\$1 and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 13:53
S67	11438	xml and links	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:42
S69	205	xml same ((stor\$3 hav\$3 compris\$3) with links)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:45
S70	2	xml same ((stor\$3 hav\$3 compris\$3) with links) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:45
S71	11	xml same ((stor\$3 hav\$3 compris\$3) with (url\$1 links)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:46
S72	23	725/51.ccls. and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:53
S73	85	"725".clas. and hot adj spots	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:14
S74	90	list with links and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28

S75	109	725/34.ccls. and links	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S76	10	10/041881	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:55
S77	3725	visual with trigger\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:56
S78	48	visual with trigger\$3 and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:56
S79	1	visual adj trigger\$3 and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:56
S80	7	xml and generic and "725".clas. and xsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:11
S81	4	"6826597"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 07:55
S82	2	"6867789"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:49

S83	30	pause same display\$3 with video with frame and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:53
S84	553	hotspot\$1 and generic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:54
S85	17	hotspot\$1 same generic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:03
S86	60	hot adj spot\$1 same generic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:04
S87	1	hot adj spot\$1 same generic same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:04
S88	17	hot adj spot\$1 same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:06
S89	224	hot adj spot\$1 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:12
S90	30	(hotspot\$1 hot adj spot\$1) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:22

S91	6612	stor\$3 with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:23
S92	901	us\$3 with xml same advantage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:28
S93	30	generic with xml same advantage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:31
S94	2182	xml same advantage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:51
S95	2	"6393426".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:49
S96	7	television adj replay adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:53
S97	20031	ip and broadcast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:54
S98	298	ip with broadcast and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:58

S99	1052	internet adj television	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:30
S10 0	174	"725".clas. and enhanc\$3 adj content\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 09:15
S10 1	2857	hotspot\$1 hot adj spot\$1 with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 09:16
S10 2	2852	hotspot\$1 hot adj spot\$1 with xml and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 09:16
S10 3	2	(hotspot\$1 hot adj spot\$1) with xml and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 09:16
S10 4	3	(hotspot\$1 hot adj spot\$1) same xml and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 09:17
S10 5	26	(hotspot\$1 hot adj spot\$1) and xml and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:45
S10 6	10	visual adj highlight and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:45

S10 7	11186	html same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:46
S10 8	10085	html with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:46
S10 9	240	html with xml and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 09:02
S11 0	756	xml adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 09:04
S11 1	644	"<xml" and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:40
S11 2	46	xml and hot adj links	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:42
S11 3	190	different adj location same links	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:42
S11 4	197	different adj location same (links urls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:44

S11 5	22	different adj location same (links urls) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:43
S11 6	0	different adj location same (links urls) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:44
S11 7	36	different with location\$1 same (links urls) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:45
S11 8	0	different with location\$1 same (uriurls) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:45
S11 9	9	different with location\$1 same (uri urls) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:47
S12 0	10	different with (region location\$1) same (uri urls) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:55
S12 1	1032	ulman	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:55
S12 2	225	ulman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:55

S12 3	0	ulman.in. and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:55
S12 4	0	uluman.in. and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:56
S12 5	0	olman.in. and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:56
S12 6	0	ulman.in. and webpage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:56
S12 7	0	uluman.in. and webpage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:57
S12 8	0	ulmen.in. and webpage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:57
S12 9	0	ulman.in. and webpage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:57
S13 0	2613	(link\$1 url\$1 uri\$1) same geographic\$2 same location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:57

S13 1	1957	(link\$1 url\$1 uri\$1) same geographic\$2 with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:57
S13 2	2558	(link\$1 url\$1 uri\$1) same geographic\$2 with location\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:57
S13 3	359	(url\$1 uri\$1) same geographic\$2 with location\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:58
S13 4	207665	(url\$1 uri\$1) same geographic\$2 with location\$1 ans "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:58
S13 5	10	(url\$1 uri\$1) same geographic\$2 with location\$1 and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:59
S13 6	3	multiple with (url\$1 uri\$1) same location\$1 and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:02
S13 7	0	differetn adj (url\$1 uri\$1) same different adj location\$1 and "725". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:02
S13 8	5	different adj (url\$1 uri\$1) same different adj location\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:03

S13 9	5	different adj (url\$1 uri\$1) same different adj (region\$1 location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:03
S14 0	5	different adj (url\$1 uri\$1 webpage\$1) same different adj (region\$1 location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:03
S14 1	11	different adj (url\$1 uri\$1 web adj page\$1) same different adj (region\$1 location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:04
S14 2	157	different adj (url\$1 uri\$1 web adj page\$1) same (region\$1 location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 14:41
S14 3	2415	local with (wep adj page\$1 url\$1 uri\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:05
S14 4	94	local with (wep adj page\$1 url\$1 uri\$1) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:05
S14 5	93	xsl same links	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 08:44
S14 6	0	xsl same set adj stop	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 08:49
S14 7	16	xsl same set adj top	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 08:50
S14 8	11	xsl same (set adj top settop cable program adj viewing program television tv) adj (unit box viewer)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 08:51
S14 9	123	xsl and (set adj top settop cable program adj viewing program television tv) adj (unit box viewer)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 08:54

S15 0	26	xsl and "725".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 08:58
S15 1	1976	xsl and language	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 08:58
S15 2	1506	xsl same language	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 08:59
S15 3	7	xsl same unicode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 09:15
S15 4	628	HTML and unicode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 09:16
S15 5	38206	HTML and lang=en	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 09:17
S15 6	12	HTML and "lang=en"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 09:17
S15 7	2193	local with URL\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 14:41
S15 8	83	local with URL\$1 and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 16:34
S15 9	2	xsl same lang	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 16:39
S16 0	1	xsl with lang	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 16:39
S16 1	32	xsl and lang	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:08

S16 2	703	mpeg7 mpeg adj "7" and (reduc\$3 conform\$3 same bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:10
S16 3	617	(mpeg7 mpeg adj "7") and (reduc\$3 conform\$3 same bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:10
S16 4	100	(mpeg7 mpeg adj "7") and ((reduc\$3 conform\$3) same bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:41
S16 5	1399	scal\$3 same (video with size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:42
S16 6	500	scal\$3 same (video with size) and mpeg\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:42
S16 7	500	scal\$3 same (video with size) and mpeg\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:43
S16 8	1096	(chang\$3 scal\$3 reduc\$3) same (video with size) and mpeg\$1 and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:45
S16 9	56	(chang\$3 scal\$3 reduc\$3) same (video with size) and mpeg\$1 and bandwidth and headend	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:47

S17 0	75	(scal\$3 reduc\$3) same (video with size) and mpeg\$1 and bandwidth and head adj end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:03
S17 1	2	xsl same lang	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:32
S17 2	297	(dvr pvr tivo) adj record\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:32
S17 3	117	(dvr pvr tivo) adj record\$3 and buffer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:32
S17 4	187	HTML same different adj language\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:28